

ROCKWEILER

SOUND TECH RIDER



ROCKWEILER

Updated Mar. 20th 2017

Sound system requirements:

F.O.H

- mixing console:
 - minimum 8 inputs & 1 stereo inputs
 - 2 subgroups
 - preferred consoles: Midas venice
Yamaha 03d/02r
Midas M32/Behringer X32
Digico S21
or similar
- CD Player
- monitors: 3 wedges + 1 cue
- InEar system (optional)

Backline:

- Guitars:
 - Fender Stratocaster Americana
 - Schecter Classic
 - Amplifier:
 - Mesa Boogie dual rectifier
 - Mesa Boogie rectifier standard 4x12"
- Bass guitar:
 - Yamaha TBRX305 Active
 - Spark Passive
 - Amplifier:
 - Hartke HA2500 250WATTS
 - Cab peavey
- Drums:
 - Bass drum Gretsch 24"
 - Snare drum Gretsch 14x5,5"
 - Rack tom Gretsch 12"
 - Floor tom Gretsch 16"&18"
 - H/H Turkish moderate series 14"
 - Crash Turkish moderate 16"&18"
 - Crash Paiste Alpha rock 18"
 - Ride Sabian b8pro 20"
 - Drumhead Remo ebony double pinstripe

Any question regarding this document are to be addressed to F.O.H engineer Ivan Rodriguez

@mail: ivanrodimb@gmail.com

Monitor engineer Gustavo Cantero

@mail: gustavolegacdr@gmail.com

ROCKWEILER

INPUTLIST

Ch	Instrument	Mic		Insert FOH
1	BD	AKG D112	short boom	comp/gate
2	SN TOP	Shure SM57	sb	comp/gate
3	VOC RAFA	Shure SM58	tb	comp
4	VOC FRAN	Shure SM58	tb	comp
5	VOC SUKO	Shure SM58	tb	comp
6	SPARE			
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				

Any question regarding this document are to be addressed to F.O.H engineer Ivan Rodriguez


@mail: ivanrodimb@gmail.com

Monitor engineer Gustavo Cantero

@mail: gustavolegacdr@gmail.com

ROCKWEILER

STAGEPLOT



MIX 1 Suko: Lead and backing vocals (1 wedge)

MIX 2 Fran: Lead and backing vocals (1 wedge)

MIX 3 Rafa: Lead and backing vocals (1 wedge)

Any question regarding this document are to be addressed to F.O.H engineer Ivan Rodriguez

@mail: ivanrodimb@gmail.com

Monitor engineer Gustavo Cantero

@mail: gustavolegacdr@gmail.com